

POPULATION ESTIMATES

CENSUS DATA

LOCAL PUBLIC HEALTH

Total 1995 Population Est 16,010
Percent Female 49.7

Population per square mile 13
Rank in state 66
(1=highest population density,
72=lowest population density.)

| Age | Female | Male | Total |
|-------|--------|-------|--------|
| 0-14 | 1,550 | 1,650 | 3,200 |
| 15-19 | 580 | 590 | 1,165 |
| 20-24 | 410 | 450 | 860 |
| 25-29 | 350 | 400 | 750 |
| 30-34 | 530 | 600 | 1,130 |
| 35-39 | 570 | 660 | 1,230 |
| 40-44 | 580 | 590 | 1,170 |
| 45-54 | 890 | 890 | 1,780 |
| 55-64 | 790 | 780 | 1,570 |
| 65-74 | 830 | 780 | 1,610 |
| 75-84 | 610 | 520 | 1,130 |
| 85+ | 270 | 140 | 410 |
| Total | 7,960 | 8,050 | 16,010 |

| Age | Female | Male | Total |
|-------|--------|-------|--------|
| 0-17 | 1,900 | 2,020 | 3,920 |
| 18-44 | 2,670 | 2,920 | 5,590 |
| 45-64 | 1,680 | 1,670 | 3,350 |
| 65+ | 1,710 | 1,440 | 3,150 |
| Total | 7,960 | 8,050 | 16,010 |

EMPLOYMENT

Note: Average wage is based on place
of work, not place of residence.

Average wage for jobs covered
by Unemployment Compensation \$21,579

| Labor Force Estimates | Annual Average |
|-----------------------|----------------|
| Civilian labor force | 7,789 |
| Number employed | 7,371 |
| Number unemployed | 418 |
| Unemployment rate | 5.4% |

Note: Data in this section are from
the 1990 Census. (All other
sections contain 1995 data
except where specified.)

Ratio of 1989 Family
Income to Poverty
(Cumulative)

| Age | <100% | <185% | <200% | Total |
|-------|-------|-------|-------|-------|
| <5 | 17 | 41 | 46 | 1,016 |
| 5-17 | 11 | 32 | 37 | 3,078 |
| 18-44 | 9 | 26 | 30 | 5,313 |
| 45-64 | 8 | 21 | 23 | 3,064 |
| 65+ | 15 | 54 | 58 | 2,800 |

CANCER INCIDENCE
(1995)

| Primary site | Number |
|--------------|--------|
| Colon | 13 |
| Lung | 16 |
| Breast | 22 |
| Prostate | 24 |
| All others | 53 |
| Total | 128 |

LONG TERM CARE

| | |
|-------------------------|-----|
| Home Health Agencies | 4 |
| Patients | 587 |
| Patients per 10,000 pop | 367 |

| | |
|--|-------|
| Nursing Homes | 2 |
| Licensed beds | 246 |
| Occupancy rate (percent) | 96.5% |
| Residents on 12/31/95 | 237 |
| Residents per 1,000 population aged 65 or older | 73 |

Activities Reported Number Per
10,000

| | | |
|------------------------|---|---|
| Public Health Nursing | | |
| Total clients | . | . |
| Total visits | . | . |
| Visits: Reason for | | |
| Gen hlth promotion | . | . |
| Infant/child hlth | . | . |
| Infectious & parasitic | . | . |
| Circulatory | . | . |
| Prenatal | . | . |
| Postpartum | . | . |

WIC Participants 770 481

| | | |
|----------------|-------|-------|
| Clinic Visits | 8,110 | 5,065 |
| Immunization | 2,208 | 1,379 |
| Blood pressure | 1,227 | 766 |

| | | |
|------------------------|----|----|
| Environmental Contacts | | |
| Env hazards | 49 | 31 |
| Public health nuisance | 78 | 49 |

| | | |
|--------------------|-------|-----|
| School Health | | |
| Vision screenings | 1,057 | 660 |
| Hearing screenings | 6 | 4 |

| | | |
|----------------------|-------|-------|
| Health Education | | |
| Community sessions | 228 | 142 |
| Community attendance | 2,541 | 1,587 |
| School sessions | 31 | 19 |
| School attendance | 572 | 357 |

| | | |
|---------------------------|----|-----|
| Staffing - FTEs | | |
| Total staff | 11 | 7.1 |
| Administrators | <1 | 0.4 |
| Public health nurses | 3 | 1.7 |
| Public health aides | 2 | 1.2 |
| Environmental specialists | <1 | 0.1 |

LOCAL PUBLIC HEALTH FUNDING

| | Amount | Per Capita |
|---------------|-----------|---------------|
| Total funding | \$476,032 | \$29.73 |
| Local taxes | \$205,437 | \$12.83 |

----- N A T A L I T Y -----

TOTAL LIVE BIRTHS 184

Crude Live Birth Rate 11.5

General Fertility Rate 60.9

Live births with reported
congenital anomalies 2 . %Delivery Type Births Percent

Vaginal after

previous cesarean 8 .

Forceps 4 .

Other vaginal 135 73

Primary cesarean 23 13

Repeat cesarean 14 .

Other or unknown 0 .

Birth Weight Births Percent

<1, 500 gm 0 .

1, 500-2, 499 gm 12 .

2, 500+ gm 172 93.5

Unknown 0 .

Birth Order Births Percent

First 67 36

Second 59 32

Third 31 17

Fourth or higher 27 15

Unknown 0 .

First PrenatalVisit Births Percent

1st trimester 145 79

2nd trimester 30 16

3rd trimester 6 .

No visits 1 .

Unknown 2 .

Number of PrenatalCare visits Births Percent

No visits 1 .

1- 4 visits 5 .

5- 9 visits 56 30

10- 12 visits 71 39

13+ visits 51 28

Unknown 0 .

Marital Statusof Mother Births Percent

Married 143 78

Not married 41 22

Unknown 0 .

Educationof Mother Births Percent

Elementary or less 0 .

Some high school 23 13

High school 85 46

Some college 44 24

College graduate 31 17

Unknown 1 .

Smoking Statusof Mother Births Percent

Smoker 36 20

Nonsmoker 147 80

Unknown 1 .

Race of MotherTotal Births
Births Percent

White 181 98

Black 0 .

Other 3 .

Unknown 0 .

Low Birth Weight
(under 2, 500 gm)

Births Percent

12 .

. .

. .

. .

Trimester of First Prenatal Visit
1st Trimester 2nd Trimester Other/Unknown
Births Percent Births Percent Births Percent

143 79 29 16 9 .

.

.

.

Age of MotherFertility
Births Rate

<15 0 --

15- 17 1 .

18- 19 22 97

20- 24 51 123

25- 29 50 143

30- 34 42 79

35- 39 13 .

40+ 5 .

Unknown 0 --

Low Birth Weight
(under 2, 500 gm)

Births Percent

. .

. .

3 .

5 .

2 .

1 .

1 .

. .

. .

Trimester of First Prenatal Visit
1st Trimester 2nd Trimester Other/Unknown
Births Percent Births Percent Births Percent

.

1

15 . 6 . 1 .

39 76 9 . 3 .

41 82 8 . 1 .

36 86 5 . 1 .

11 . . 2 . 2 .

2 . . 2 . 1 .

.

Teenage Births

23 40

----- M O R B I D I T Y -----

----- M O R T A L I T Y -----

REPORTED CASES OF SELECTED DISEASES

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | <5 |
| Giardiasis | <5 |
| Hepatitis Type A | <5 |
| Hepatitis Type B* | 0 |
| Hepatitis NANB/C** | 0 |
| Legionnaire's | 0 |
| Lyme | <5 |
| Measles | 0 |
| Meningitis, Aseptic | <5 |
| Meningitis, Bacterial | 0 |
| Mumps | 0 |
| Pertussis | 0 |
| Salmonellosis | 0 |
| Shigellosis | 0 |
| Tuberculosis | 0 |

* Includes HBV carriers

** Includes HCV screens

Sexually Transmitted Disease

| | |
|--------------------------|---|
| Chlamydia Trachomatis | 7 |
| Genital Herpes | 6 |
| Gonorrhea | 0 |
| Nongonococcal Cervicitis | 0 |
| Nongonococcal Urethritis | 0 |
| Syphilis | 0 |

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by
Compliance Level

| | |
|-------------------|-------|
| Compliant | 2,970 |
| Non-compliant | 2 |
| Percent Compliant | 99.9 |

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

TOTAL DEATHS 198
Crude Death Rate 1,237

| Age | Deaths | Rate |
|-------|--------|--------|
| 1-4 | . | . |
| 5-14 | . | . |
| 15-19 | . | . |
| 20-34 | 5 | . |
| 35-54 | 11 | . |
| 55-64 | 17 | . |
| 65-74 | 39 | 2,424 |
| 75-84 | 57 | 5,032 |
| 85+ | 69 | 16,829 |

| Infant Mortality | Deaths | Rate |
|------------------|--------|------|
| Total Infant | . | . |
| Neonatal | . | . |
| Post-neonatal | . | . |
| Unknown | . | . |

| Race of Mother | Deaths | Rate |
|----------------|--------|------|
| White | . | . |
| Black | . | . |
| Other | . | . |
| Unknown | . | . |

| Birth Weight | Deaths | Rate |
|----------------|--------|------|
| <1,500 gm | . | . |
| 1,500-2,499 gm | . | . |
| 2,500+ gm | . | . |
| Unknown | . | . |

| Perinatal Mortality | Deaths | Rate |
|---------------------|--------|------|
| Total Perinatal | . | . |
| Neonatal | . | . |
| Fetal | . | . |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 65 | 406 |
| Coronary heart disease | 52 | 325 |
| Cancer (total) | 46 | 287 |
| Lung | 9 | . |
| Colorectal | 5 | . |
| Female breast | 2 | .* |
| Cerebrovascular Disease | 18 | . |
| Chron Obstr Pulmonary | 10 | . |
| Pneumonia & Influenza | 7 | . |
| Injuries | 6 | . |
| Motor vehicle | 4 | . |
| Diabetes | 2 | . |
| Infectious & Parasitic | 1 | . |
| Suicide | 4 | . |

* Rate for female breast cancer based
on female population.ALCOHOL AND DRUG ABUSE AS UNDERLYING
OR CONTRIBUTING CAUSE OF DEATH

| | | |
|----------------|---|---|
| Alcohol | 1 | . |
| Other Drugs | . | . |
| Both Mentioned | . | . |

----- M O T O R V E H I C L E C R A S H E S -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 199 | 3 |
| Alcohol-Related | 46 | 0 |
| With Citation: | | |
| For OWI | 41 | 0 |
| For Speeding | 17 | 0 |
| Motorcyclist | 7 | 0 |
| Bicyclist | 0 | 0 |
| Pedestrian | 3 | 0 |

HOSPITALIZATIONS

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|--|--------|---------------------|---------------------------|-------------------|-------------------------|
| Injury-Related: All | | | | | |
| Total | 165 | 10.3 | 4.6 | \$7,866 | \$81 |
| <18 | 17 | . | . | . | . |
| 18-44 | 39 | 7.0 | 3.8 | \$8,804 | \$61 |
| 45-64 | 33 | 9.9 | 3.7 | \$6,210 | \$61 |
| 65+ | 76 | 24.1 | 5.8 | \$8,587 | \$207 |
| Injury: Hip Fracture | | | | | |
| Total | 20 | 1.2 | 6.7 | \$11,222 | \$14 |
| 65+ | 16 | . | . | . | . |
| Injury: Poisonings | | | | | |
| Total | 9 | . | . | . | . |
| 18-44 | 3 | . | . | . | . |
| Psychiatric | | | | | |
| Total | 64 | 4.0 | 6.8 | \$4,410 | \$18 |
| <18 | 8 | . | . | . | . |
| 18-44 | 29 | 5.2 | 6.3 | \$3,758 | \$19 |
| 45-64 | 10 | . | . | . | . |
| 65+ | 17 | . | . | . | . |
| Coronary Heart Disease | | | | | |
| Total | 137 | 8.6 | 4.8 | \$12,397 | \$106 |
| 45-64 | 30 | 9.0 | 3.3 | \$10,391 | \$93 |
| 65+ | 106 | 33.7 | 5.3 | \$13,055 | \$439 |
| Malignant Neoplasms (Cancers): All | | | | | |
| Total | 111 | 6.9 | 6.6 | \$11,505 | \$80 |
| 18-44 | 11 | . | . | . | . |
| 45-64 | 30 | 9.0 | 5.9 | \$11,728 | \$105 |
| 65+ | 70 | 22.2 | 6.9 | \$11,418 | \$254 |
| Neoplasms: Female Breast (rates for female population) | | | | | |
| Total | 17 | . | . | . | . |
| Neoplasms: Colo-rectal | | | | | |
| Total | 11 | . | . | . | . |
| 65+ | 10 | . | . | . | . |
| Neoplasms: Lung | | | | | |
| Total | 8 | . | . | . | . |
| Diabetes | | | | | |
| Total | 13 | . | . | . | . |
| 65+ | 10 | . | . | . | . |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|---------------------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|
| Alcohol-Related | | | | | |
| Total | 26 | 1.6 | 8.0 | \$3,870 | \$6 |
| 18-44 | 17 | . | . | . | . |
| 45-64 | 7 | . | . | . | . |
| Pneumonia and Influenza | | | | | |
| Total | 58 | 3.6 | 4.8 | \$6,842 | \$25 |
| <18 | 12 | . | . | . | . |
| 45-64 | 5 | . | . | . | . |
| 65+ | 40 | 12.7 | 5.4 | \$7,021 | \$89 |
| Cerebrovascular Disease | | | | | |
| Total | 58 | 3.6 | 4.9 | \$7,090 | \$26 |
| 45-64 | 12 | . | . | . | . |
| 65+ | 46 | 14.6 | 4.6 | \$6,532 | \$95 |
| Chronic Obstructive Pulmonary Disease | | | | | |
| Total | 35 | 2.2 | 4.9 | \$6,638 | \$15 |
| <18 | 3 | . | . | . | . |
| 18-44 | 6 | . | . | . | . |
| 45-64 | 8 | . | . | . | . |
| 65+ | 18 | . | . | . | . |
| Drug-Related | | | | | |
| Total | 8 | . | . | . | . |
| 18-44 | 5 | . | . | . | . |
| Total Hospitalizations | | | | | |
| Total | 2,091 | 130.6 | 4.4 | \$6,936 | \$906 |
| <18 | 315 | 80.5 | 2.4 | \$2,574 | \$207 |
| 18-44 | 450 | 80.4 | 3.4 | \$4,932 | \$396 |
| 45-64 | 340 | 101.5 | 4.4 | \$8,078 | \$820 |
| 65+ | 986 | 313.1 | 5.4 | \$8,850 | \$2,771 |

--- PREVENTABLE HOSPITALIZATIONS * ---

| | | | | | |
|-------|-----|------|-----|---------|-------|
| Total | 284 | 17.7 | 5.1 | \$6,636 | \$118 |
| <18 | 38 | 9.7 | 3.8 | \$5,436 | \$53 |
| 18-44 | 18 | 3.2 | 3.8 | \$4,184 | \$13 |
| 45-64 | 40 | 11.9 | 4.7 | \$7,177 | \$86 |
| 65+ | 188 | 59.7 | 5.5 | \$6,998 | \$418 |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.